

## **GY-HM600**

## ProHD



The GY-HM600 is the ideal hand-held camcorder for fast paced ENG, documentaries and reality TV. It features a long (23x) wide angle Fujinon lens and delivers excellent HD or SD video quality, even in extremely low light environments. Dual card recording on SDHC/SDXC in a variety of popular formats including XDCAM EX<sup>™</sup> (MP4), FCP (MOV) and AVCHD ensures the world's fastest shoot to edit workflow.

- 1/3-inch 12-bit CMOS sensors (1920 x 1080 x 3)
- F11 Sensitivity
- 23x Fujinon Auto focus zoom lens with manual functions F1.6-3.0, 23x, f=4.1-94.3mm (35mm conversion: 29 to 667mm)
- Optical image stabilizer
- 3 position ND filter (1/4, 1/16, 1/64)
- SDXC/SDHC memory card recording (2 slots for dual-backup, continuous recording)
- Wide media format compatibility: .MOV (Final Cut Pro) / .MP4 (XDCAM EX™) / AVCHD
- Multiple encoding formats: HD MPEG2 (35/25/19Mbps) / AVCHD 1920x1080 60i / SD H.264

The GY-HM600 is a versatile, easy to use and lightweight camcorder ideally suited for broadcast as well as independent film and event production recording.

## Additional Key Features

- Professional switch layout and comprehensive video settings
- 0.45-inch 1.22M pixel color viewfinder
- 3.5-inch 920K pixel LCD display with focus assist
- Pre Rec (retro) mode (20 sec.)
- Interval (time lapse) recording
- Built-in stereo microphone
- 2-channel balanced audio inputs (mic/line switchable) w/phantom power supply
- HD/SD-SDI, HDMI Outputs
- Wired remote control connector
- High performance 2D DNR

## **Product Specifications**

GENERAL SPECIFICATIONS	
Power	DC 12V (AC adaptor), DC 7.2V (Battery)
Power Consumption	Approx. 12W (with VF and LCD monitor)
Dimensions	178(W) x 198(H) x 416(D)mm (7" x 7-13/16" x 16-3/8")
Weight	Approx. 2.4kg (5.3lbs) (Including battery)
Operating temperature	0 to 40 (32 to 104)
Storage temperature	-20 to 50 (14 to 122)
Operating humidity	35% to 80%
Storage humidity	Under 85%
CAMERA	
Image Sensor	1/3" 2.2M pixels progressive scan 3CMOS
Synchronizing system	Internal synchronization
Stabilizer	Optical image stabilizer
Lens	Fujinon F1.6-3.0, 23x, f=4.1-94.3mm (35mm conversion:29 to 667mm)
Filter diameter	72mm
Shutter speed	1/4 to 1/10000
Gain	-6, -3, 0, 3, 6, 9, 12, 15, 18 dB, Lolux, ALC
ND filter	1/4, 1/16, 1/64
LCD display	3.5" 920K pixels, 16:9
Viewfinder	0.45" 1.22M pixels, 16:9

VIDEO/AUDIO RECORDING		
Recording media	2x SDHC/SDXC memory card Class 6/10	
Video recording	Video codec: MPEG2 Long GOP(HD), AVCHD, H.264(SD)	
_	File format: MOV(HD/SD:H.264), MP4(XDCAM EX),	
	MTS(AVCHD)	
Recording mode	MPEG-2 Long GOP	
	NTSC setting: HQ mode:1920 x 1080/59.94i, 29.97p, 23.98p,	
	1440 x 1080/59.94i, 1280 x 720/59.94p, 29.97p, 23.98p	
	SP mode: 1440 x 1080/59.94i	
	PAL setting: HQ mode:1920 x 1080/50i, 25p, 1440 x 1080/50i	
	SP mode: 1440 x 1080/50i AVCHD	
	NTSC setting: HQ mode:1920 x 1080/59.94i, SP mode:1920 x1080/59.94i	
	PAL setting: HQ mode:1920 x 1080/50i. SP mode:1920 x1080/50i	
	SD (H.264)	
	NTSC setting: 720 x 480/59.94i(GY-HM600U only)	
	PAL setting: 720 x 576/50i(GY-HM600E only)	
Audio recording	LPCM 2ch, 48kHz/16-bit(MPEG-2 Long GOP/H.264), AC3(AVCHD)	
INTERFACE		
Video output	AV output (f3.5mm mini jack x1)	
	SDI output (BNC x1)	
	HDMI output x1	
Audio input	XLR x2 (MIC,+48V/LINE), f3.5mm mini jack x1	
Audio output	AV output (f3.5mm mini jack x1)	
Headphone	f3.5mm mini jack x1	
Time code link input/output	RCA x1	
Remote	f2.5mm mini jack x1	
PROVIDED ACCESSORIES		
Battery pack x1, AC adapter x1, AV cable x1		
	<u> </u>	

Specifications are tentative and subject to change without notice.

Notes: Apple logo, Macintosh, QuickTime, and Final Cut Pro are trademarks of Apple Inc. registered in the United States and other countries.

"AVCHD Progressive/AVCHD" and the "AVCHD Progressive/AVCHD" logo are trademarks of Panasonic Corporation and Sony Corporation.

Dolby is a registered trademark of Dolby Laboratories. The SD, SDHC and SDXC logos are trademarks of the SD Card Association. HDMI, the

HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

Product and company names mentioned here are trademarks or registered trademarks of their respective owners



**DISTRIBUTED BY** 

pro.jvc.com